

Extron

Avaya Devconnect

December 10, 2019

Declaration of conformance for Extron DMP Plus Series

We, Extron hereby confirms that the following DMP plus products:

- DMP 128 Plus C V
- DMP 128 Plus C V AT
- DMP 128 FlexPlus C V AT
- DMP 64 Plus C V
- DMP 64 Plus C V AT

Are based on the same platform and therefore:

- Use identical SIP stack
- Use the same firmware version

The differences in the DMP plus models:

- DMP 128 Plus C V (AT)
 - Supports 12 mic/line inputs and 8 line outputs
 - Supports 12 channels of Acoustical Echo Cancelation (AEC)
- DMP 128 FlexPlus C V AT
 - Supports 4 mic/line inputs and 8 line outputs
 - Supports 12 channels of Acoustical Echo Cancelation (AEC)
- DMP 64 Plus C V (AT)
 - Supports 6 mic/line inputs and 4 line outputs
 - Supports 6 channels of Acoustical Echo Cancelation (AEC)
- Models ending in "AT" support Dante-equipped products that provide scalable audio transport over a local area network using standard Internet protocols.

Best regards



David Pincek

VP Product Development

Extron USA - Worldwide Headquarters
1025 E. Ball Road | Anaheim, California 92805
800.633.9876 | 714.491.1500 | www.extron.com