



## **Avaya Solution & Interoperability Test Lab**

---

# **Application Notes for Verbio TTS 9.10 with Avaya Aura® Experience Portal 7.1 - Issue 1.0**

### **Abstract**

These application notes describe the configuration steps required for Verbio TTS Software to successfully interoperate with Avaya Aura® Experience Portal. The Software allows Voice XML application to play written text.

Readers should pay attention to Section 2, in particular the scope of testing as outlined in Section 2.1 as well as any observations noted in Section 2.2, to ensure that their own use cases are adequately covered by this scope and results.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

# 1. Introduction

These application notes describe the configuration steps required for Verbio TTS Software to successfully interoperate with Avaya Aura® Experience Portal. The Verbio Server is added as a Speech Server on the Experience Portal Management Server. Using Voice XML sample applications the following aspects of Verbio operation were tested

- SSML tags are supported
- Playback TTS and recorded audio files is supported
- Serviceability

## 2. General Test Approach and Test Results

The general test approach was to configure the Verbio TTS Software to communicate with Experience Portal as implemented on a customer's premises. See **Figure 1** for a network diagram. The interoperability compliance testing included feature and serviceability testing. The feature testing verified the ability of Verbio to process DTMF and Voice prompt made during Voice XML calls and responses were prompt and accurate. The serviceability testing introduced failure scenarios to see if Verbio can resume after a failure.

DevConnect Compliance Testing is conducted jointly by Avaya and DevConnect members. The jointly-defined test plan focuses on exercising APIs and/or standards-based interfaces pertinent to the interoperability of the tested products and their functionalities. DevConnect Compliance Testing is not intended to substitute full product performance or feature testing performed by DevConnect members, nor is it to be construed as an endorsement by Avaya of the suitability or completeness of a DevConnect member's solution.

### 2.1. Interoperability Compliance Testing

The testing included:

- Verification of connectivity between Verbio and Experience Portal.
- Verification that handset input was processed and output by Verbio correctly.
- Link Failure\Recovery was also tested to ensure successful reconnection after link failure.
- Scenarios included.
  - Plain text and SSML tags
  - Prompts with both, TTS and pre-recorded audio files together

### 2.2. Test Results

Tests were performed to ensure full interoperability between Verbio and Experience Portal. The tests were all functional in nature and performance testing was not included. All the test cases passed successfully and only the following observation was noted.

- Currently Verbio TTS is not present in the drop-down list of speech server types. A specific configuration is documented in Section 5.1 to allow Verbio TTS to be selected as a speech server type

## 2.3. Support

Web: <https://verbio.zendesk.com> (Ticket system)

Email: [support@verbio.com](mailto:support@verbio.com)

---

### Verbio Technologies S.L.

C/Loreto, 44 Bajos Derecha

08029 Barcelona


Spain

Tel: +34 93 444 79 79

<http://www.verbio.com>.

## 3. Reference Configuration

**Figure 1** illustrates the network topology used during compliance testing. The Avaya solution consists of Experience Portal, Communication Manager, System Manager and Session Manager. The Experience Portal is configured to connect the Verbio server over TCP/IP using MRCP standard protocol. Avaya 96x1 Series H323 phones were used to generate calls to Experience Portal Applications.



**Figure 1: Avaya Aura® Experience Portal and Verbio Reference Configuration**

## 4. Equipment and Software Validated

The following equipment and software were used for the sample configuration provided:

Equipment/Software	Release/Version
Avaya Aura® Experience Portal running on a virtual Server	7.1.00.1107
Avaya Aura® Session Manager running on a virtual Server	Session Manager R 7 7.0.1.1.70114
Avaya aura® System Manager running on a virtual server	System Manager R 7.0.1.2 Build – 7.0.0.0.16266 Revision – 7.0.1.2.075662 SP2
Avaya Aura® Communication Manager running on a virtual server	R 7.0.1.1.0.441.23169
Avaya G450 gateway	33.39.0/1
Avaya 9641 Series Deskphone	96x1 H.323 Release 6.6029
Verbio	Version 9.10

## 5. Configure Avaya Aura® Experience Portal

Configuration and verification operations on the Experience Portal illustrated in this section were all performed using either the Experience Portal Management web interface or SSH connection to the server . The information provided in this section describes the configuration of the Experience Portal for this solution. It is implied a working system is already in place, including Media Processing Platform, Apache Tomcat application Server and SIP routing via Session Manager. Installation of Voice XML applications is also out with the scope of this document. For all other provisioning information such as initial installation and configuration, please refer to the product documentation in **Section 9**. The configuration operations described in this section can be summarized as follows:

- Update languages property files to allow Verbio speech server type.
- Add Verbio Speech server
- Configure Application

## 5.1. Update Language properties

Verbio does not appear in the drop down list of TTS server types when using Experience Portal 7.0.1 so at this time two files need to be updated on the Experience portal server. First the updated files must be obtained from Verbio support.

Please note that the following steps have to be done with root level privileges.

- Copy the new language files on to the Experience Portal server
  - the files will be renamed
  - languages.properties\_lib
  - languages.properties\_webapps
- log in to Experience portal as craft
- switch user to a privileged administrator account with permissions to make these changes
- use **cd /<EPM Tomcat Directory>/lib/config**
  - Default EPM Tomact Directory is /opt/tomcat/tomcat
- rename languages.properties (e.g. **mv languages.properties languages.orig**) and copy languages.properties\_lib to this directory renaming it as languages.properties (e.g **mv <\_lib file location>languages.properties\_lib languages.properties**)
- use **chown avayavp languages.properties** to set the correct owner for this file
- use **chmod 750 languages.properties** to set the correct permissions
- use **cd /<EPM Tomcat Directory>/webapps/Voiceportal/WEB-INF/classes/messages/**
- rename languages.properties (e.g. **mv languages.properties languages.orig**) and copy languages.properties\_webapps to this directory renaming it as languages.properties (e.g **mv <\_lib file location>languages.properties\_lib languages.properties**)
- use **chown avayavp languages.properties** to set the correct owner for this file
- use **chmod 750 languages.properties** to set the correct permissions.

Tomcat must now be restarted

- use **cd /<EPM Tomcat Directory>/bin**
  - **./shutdown.sh**
  - wait for this to complete
  - **./startup.sh**


## 5.2. Add Verbio Speech server

Verbio must be added as a Speech Server using the Experience Portal Manager web interface.

- log into the Experience Portal Manager web interface.



- from the left hand menu go to **System Configuration** → **Speech Servers**. On the TTS tab click on **Add**(not shown).
- Give the Speech Server a name.
- Select **Verbio** from the **Engine Type** drop down.
- Enter the **IP Address** of the Verbio Server.
- Set **5540** as the base port.
- Set **New Connection per Session** to **No**.
- Select the **Languages** required using **Ctrl** to select multiple Languages.
- Enter **RTSP URL**: as **<VerbioIP>:5540/synthesizer**.



- When the TTS server is added the MPP/s need to be restarted.

### 5.3. Configure Application

This section shows how to add the Verbio Speech Server to an application configuration and allow it to process DTMF

- From the left hand menu go to **System Configuration** → **Applications** and click on **Add**.
- Select **VoiceXML** as the **Type**.
- Select **Verbio** as the **TTS** Speech Server.
- Choose the **Languages** the Application requires.
- Set **Support Remote DTMF processing** as **Yes**

**Add Application**

Use this page to deploy and configure a new application on the Experience Portal system.

Start With:

Name:

Enable:  Yes  No

Type:

Reserved SIP Calls:  None  Minimum  Maximum

Requested:

**URI**

Single  Fail Over  Load Balance

VoiceXML URL:

Mutual Certificate Authentication:  Yes  No

Basic Authentication:  Yes  No

**Speech Servers**

ASR:  TTS:

Languages:

Voices:

**Application Launch**

Inbound  Inbound Default  Outbound

Number  Number Range  URI

Called Number:

**Speech Parameters** ▸

**Reporting Parameters** ▸

**Advanced Parameters** ▾

Support Remote DTMF Processing:  Yes  No

## 6. Configure Verbio


The following sections describe the steps required to configure the base configuration required to enable Verbio to interoperate with Experience Portal. It is implied a working system is already in place. For all other provisioning information such as initial installation and configuration, please refer to the product documentation in **Section 9**. The configuration operations described in this section can be summarized as follows:

- Configure MRCP

### 6.1. Configure MRCP

The Platform Type must be set and the port for connection checked. Default for both Verbio and Experience Portal is **5540**.

- from the Windows Start menu click on **Start → All Programs → Verbio → MRCP → Configuration Manager**
- from the **Client MRCPv1 Platform** drop down choose **Avaya**.
- Check that the **Local SIP/RTSP** port is set to **5540**
- **Stop** and then **Start** the service





## 7. Verification Steps

This section provides tests that can be performed to verify correct configuration of the Experience Portal and Verbio solution


### 7.1. Verify Speech Server connection is Established

- log into Experience Portal Manager web interface



User Name: epadmin  
Password: ●●●●●●●●  
Logon

- for the left hand menu go to **Real-time Monitoring** → **System Monitor**
- Click on The **MPP**



This page displays the current state of the local Experience Portal system plus any remote Experience Portal s symbols, click Help.

Summary ExperiencePortal Details

Last Poll: May 26, 2015 5:18:10 AM PDT

Server Name	Type	Mode	State	Config	Call Capacity			Active Calls		Calls Today	Alarms
					Current	Licensed	Maximum	In	Out		
EPM / LocalMPP	EPM/MPP	Online	Running	OK	10	10	10	0	0	0	✓
<b>Summary</b>					10	10	10			0	✓

- From the MPP screen click on Service Menu

**AVAYA**  
Avaya Aura® Experience Portal 7.1.0 (ExperiencePortal)

Expand All | Collapse All

You are here: [Home](#) > Real-Time Monitoring > [System Monitor](#) > Local Details

**Local Details (Dec 14, 2016 1:41:44 AM PST)**

This page displays the detailed status of the selected MPP server.

**General Information**

Server Name:	Local
Unique Id:	10001
Host Address:	AAEP71620
IP Address:	10.10.16.20
Version:	7.1.0.0.1107
Last Successful Poll:	Dec 14, 2016 1:41:23 AM PST

**Operational State**

Current State: Running (Since Dec 14, 2016 1:16:22 AM PST)

**Operational Mode**

Current Mode: Online (Since Dec 8, 2016 1:18:05 AM PST)

**Configuration** [History](#)

Current State: OK  
Last Modified: Dec 14, 2016 1:14:13 AM PST

**Call Status**

Current Capacity:	10
Licenses Allocated:	10
Maximum Call Capacity:	10
Active Calls:	0
Calls Today:	8

**Resource Status**

CPU:	12%
Memory:	77%
Disk:	12%

**Miscellaneous**

[Service Menu](#)

[Configure](#) [Help](#)

- From the left hand menu select **Resource**→**Speech Servers**.

You are here: [Home](#)

**Avaya Aura® Experience Portal MPP 7.1.0.0-1107**

**MPP Status**

Run state	Running
Configuration state	Configuration OK
Time of last heartbeat	Wed Dec 14 01:56:43 2016
Time of last session information update	Wed Dec 14 01:18:09 2016

**Process Status**

Name	Path	Restart count	State	Type
EventMgr	/opt/Avaya/ExperiencePortal/MPP/bin/EventMgr	3	Running	system
CCXML	/opt/Avaya/ExperiencePortal/MPP/bin/ccxml	3	Running	managed
CCXML1	/opt/Avaya/ExperiencePortal/MPP/bin/ccxml	3	Running	managed
CCXML2	/opt/Avaya/ExperiencePortal/MPP/bin/ccxml	3	Running	managed
CCXML3	/opt/Avaya/ExperiencePortal/MPP/bin/ccxml	3	Stopped	managed
CCXML4	/opt/Avaya/ExperiencePortal/MPP/bin/ccxml	3	Stopped	managed

- The **Verbio TTS** server is listed and the under **Status** it shows **Server is UP**

Name	Type	Status	Values	Ports	Errors	Latency
VerbioASR	ASR	Server is UP	H (Total): 10 M (Simultaneous): 10	Active: 0 Reserve: 0	Timeout: 0 Setup: 0 Application: 0	Average: 3 Maximum: 10 Minimum: 0
VerbioTTS	TTS	Server is UP	H (Total): 10 M (Simultaneous): 10	Active: 0 Reserve: 0	Timeout: 0 Setup: 0 Application: 0	Average: 0 Maximum: 0 Minimum: 0

## 8. Conclusion

These Application Notes describe the compliance tested configuration used to validate Verbio TTS Server Version 9.10 with Avaya Aura® Experience Portal Version 7.1. A full and comprehensive set of feature and functional test cases were performed during Compliance testing. Verbio TTS Server is considered compliant with Avaya Aura® Experience Portal. All of the test cases have passed with any issues and observations outlined in **Section 2.2**.

## 9. Additional References

These documents form part of the Avaya official technical reference documentation suite. Further information may be had from <http://support.avaya.com> or from your Avaya representative.

[1] *Avaya Aura® Experience Portal 7.1 Overview and Specification*

[2] *Deploying Avaya Aura® Experience Portal 7.1 in an Avaya Customer Experience Virtualized Environment*

Verbio documentation can be obtained by using the contact details listed in **Section 2.3**.

---

**©2017 Avaya Inc. All Rights Reserved.**

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by ® and ™ are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at [devconnect@avaya.com](mailto:devconnect@avaya.com).