

### Avaya Solution & Interoperability Test Lab

# Application Notes for Plantronics Hub Software and Plantronics Calisto P240 USB Handset with Avaya Aura® Agent Desktop - Issue 1.0

#### **Abstract**

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Calisto P240 USB Handset with Avaya Aura® Agent Desktop. Plantronics Hub Software enables the integrated call control features for Calisto P240, including call answer/end and synchronized mute with Agent Desktop. The Plantronics Hub Software was installed on the desktop PC running Agent Desktop and connected the Plantronics handset was connected to the desktop PC running Agent Desktop via a USB port. The Calisto P240 also offers speakerphone functionality.

Readers should pay attention to **Section 2**, in particular the scope of testing as outlined in **Section 2.1** as well as the observations noted in **Section 2.2** to ensure that their own use cases are adequately covered by this scope and results.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

#### 1. Introduction

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Calisto P240 USB Handset with Avaya Aura® Agent Desktop. Plantronics Hub Software enables the integrated call control features for Calisto P240, including call answer/end and synchronized mute with Agent Desktop. The Plantronics Hub Software was installed on the desktop PC running Agent Desktop and connected the Plantronics handset was connected to the desktop PC running Agent Desktop via a USB port. The Calisto P240 also offers speakerphone functionality.

Refer to the appropriate Plantronics documentation listed in **Section 10** for additional product information.

# 2. General Test Approach and Test Results

Avaya's formal testing and Declaration of Conformity is provided only on the headsets/handsets that carry the Avaya brand or logo. Avaya may conduct testing of non-Avaya headset/handset to determine interoperability with Avaya phones. However, Avaya does not conduct the testing of non-Avaya headsets/handsets for: Acoustic Pressure, Safety, Hearing Aid Compliance, EMC regulations, or any other tests to ensure conformity with safety, audio quality, long-term reliability or any regulation requirements. As a result, Avaya makes no representations whether a particular non-Avaya headset will work with Avaya's telephones or with a different generation of the same Avaya telephone.

Since there is no industry standard for handset interfaces, different manufacturers utilize different handset/headset interfaces with their telephones. Therefore, any claim made by a headset vendor that its product is compatible with Avaya telephones does not equate to a guarantee that the headset will provide adequate safety protection or audio quality.

The interoperability compliance test included feature and serviceability testing. The feature testing focused on placing calls to and from Avaya Aura® Agent Desktop using the Plantronics Hub Software and Plantronics Calisto P240 USB Handset and verifying 2-way audio. The type of calls made included calls to voicemail, to local stations, and to the PSTN.

The serviceability testing focused on verifying the usability of Calisto P240 after restarting the Avaya Aura® Agent Desktop, disconnecting and reconnecting the handset, and rebooting the PC.

# 2.1. Interoperability Compliance Testing

All test cases were performed manually. The following features were verified:

- Placing calls to the voicemail system. Voice messages were recorded and played back to verify that the playback volume and recording level were good.
- Placing calls to internal extensions to verify two-way audio.
- Placing calls to the PSTN to verify two-way audio.

- Answering and ending calls using the call control button on the Calisto P240.
- Using the volume control buttons on the handset to adjust the playback volume.
- Using the mute control button on the handset to mute and un-mute the audio, including verifying that the mute status was accurately reflected on the handset and Agent Desktop.
- Placing the call on hold from the handset.
- Dialing calls from the handset.
- Verifying two-way audio using the handset and handset.
- Toggling between the handset microphone and handset.

For the serviceability testing, the handset was reconnected to verify proper operation. Avaya Aura® Agent Desktop application was also restarted for the same purpose. The desktop PC was also rebooted to verify that the handset was operational when the PC came back into service.

#### 2.2. Test Results

All test cases passed with the following observation:

■ DTMF support using the keypad of the handset while on an active call is not yet supported. While on an active call, DTMF must be entered from the Communicator keypad (e.g., to navigate a voicemail system).

#### 2.3. Support

For technical support and information on Plantronics Hub Software and Plantronics Calisto P240 USB Handset, contact Plantronics at:

■ Phone: 1-855-765-7878 (toll free)

Website: http://www.plantronics.com/us/support/

# 3. Reference Configuration

**Figure 1** illustrates the test configuration used to verify the Plantronics solution. The configuration consists of Avaya Aura® Communication Manager running in a virtual environment with an Avaya G450 Media Gateway providing connectivity to the PSTN via an ISDN-PRI trunk (not shown). Avaya Aura® Messaging was used as the voicemail system. Avaya Aura® Agent Desktop and Plantronics Hub Software were installed on a desktop PC running Windows 7. Plantronics Calisto P240 USB Handset was connected to a USB port of the desktop PC running Agent Desktop. Agent Desktop logged into Avaya Aura® Contact Center not shown in the test configuration below.




Figure 1: Avaya Aura® Agent Desktop with Plantronics Hub Software and Plantronics P240 USB Handset

# 4. Equipment and Software Validated

The following equipment and software were used for the sample configuration provided:

Equipment/Software	Release/Version	
Avaya Aura® Communication Manager in a Virtual Environment	6.3 SP 12 (R016x.03.0.124.0 with Patch 22505)	
Avaya G450 Media Gateway	Firmware 37.19.0	
Avaya Aura® Messaging	6.3.124.315-1.247325	
Avaya Aura® Agent Desktop on Microsoft Windows 7	6.4 (Build 14.200.42.1285)	
Avaya Aura® Contact Center	6.4 SP 15	
Avaya 9600 Series IP Telephone	S3.250A (H.323) 2.6.14.5 (SIP)	
Plantronics Hub Software	3.7.51238.28796	
Plantronics Calisto P240 USB Handset	v.461	

# 5. Configure Avaya Aura® Communication Manager


This section covers the station configuration for Agent Desktop. The configuration is performed via the System Access Terminal (SAT) on Communication Manager.

Use the **add station** command to create a station for Agent Desktop. Set the **Type** field to the station type to be emulated. In this example, 4620 was used. Set the **Port** field to *IP* and configure a **Security Code** as that password to be used by Agent Desktop to log in. Set the **IP Softphone** field to *y*.

	Page	<b>1</b> of 5	
	STATION		
	Lock Messages? n	BCC: 0	
	Security Code: 1234	TN: 1	
	Coverage Path 1:	COR: 1	
	Coverage Path 2:	cos: 1	
	Hunt-to Station:	Tests? y	
	Time of Day Lock Table:		
19	Personalized Ringing Pattern:	1	
	Message Lamp Ext:	53018	
2-way	Mute Button Enabled?	У	
english	Expansion Module:	n	
internal	Media Complex Ext:		
У	IP SoftPhone?	У	
IP Video Softphone? n			
Short/Prefixed Registration Allowed: default			
	Customizable Labels?	У	
	19 2-way english internal y Short,	Lock Messages? n  Security Code: 1234  Coverage Path 1: Coverage Path 2: Hunt-to Station:  Time of Day Lock Table:  19 Personalized Ringing Pattern: Message Lamp Ext: 2-way english Mute Button Enabled? english Expansion Module:  internal Media Complex Ext: y IP SoftPhone?  Short/Prefixed Registration Allowed:	Lock Messages? n BCC: 0  Security Code: 1234 TN: 1  Coverage Path 1: COR: 1  Coverage Path 2: COS: 1  Hunt-to Station: Tests? y  Time of Day Lock Table:  19 Personalized Ringing Pattern: 1  Message Lamp Ext: 53018  2-way Mute Button Enabled? y english Expansion Module: n  internal Media Complex Ext:  y IP SoftPhone? y  IP Video Softphone? n

# 6. Configure Avaya Aura® Agent Desktop

Connect the Plantronics Calisto P240 handset to the PC via a USB port. Next, ensure that the **Sound** properties under Windows 7 Control Panel are set properly. Verify that the Plantronics handset has been detected by Windows 7 and that it has been set as the default device in the **Playback** and **Recording** tabs as shown below.






After logging into Agent Desktop, click on and then select **Audio Settings** as shown below.



The Calisto P240 handset is automatically detected by Agent Desktop. In the **Audio Settings** tab, set the **Playback Device** and **Record Device** fields to *P240 Recv (Plantronics Calisto P240)* and *P240 Mic (Plantronics Calisto P240)*, respectively, as shown below. Click **Save Audio Devices**.




# 7. Install Plantronics Hub Software and Plantronics Calisto P240 USB Handset

The Plantronics Hub software enables the Plantronics Calisto P240 handset to answer, end, and mute calls using the call control button on the handset. Install the software on the PC running the Agent Desktop. Refer to [2] for additional information.

After the Hub software is installed, connect the Calisto P240 handset to a USB port on the desktop PC running Agent Desktop.

Prior to using the handset, the Plantronics Hub software should be running and should have detected the handset as shown below. All default settings for the Hub software were used for compliance testing.



# 8. Verification Steps

This section provides the tests that can be performed to verify proper installation and configuration of the Plantronics Hub Software and Plantronics Calisto P240 USB Handset with Agent Desktop.

- 1. Start the Agent Desktop application.
- 2. Place an incoming call to Agent Desktop from any local phone.
- 3. Answer the call using the call control button on the Calisto P240 handset.
- 4. Verify two-way talk path between the Calisto P240 Handset and phone.
- 5. Disconnect the call from the Calisto P240 handset using the call control button.
- 6. Verify that the call is properly disconnected.

#### 9. Conclusion

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Calisto P240 USB Handset with Avaya Aura® Agent Desktop. All test cases were completed successfully with observations noted in **Section 2.2**.

#### 10. Additional References

This section references the Avaya and Plantronics documentation that are relevant to these Application Notes.

The following Avaya product documentation can be found at <a href="http://support.avaya.com">http://support.avaya.com</a>.

[1] *Administering Avaya Aura*® *Communication Manager*, Release 6.3, Issue 10.0, June 2014, Document Number 03-300509, available at <a href="http://support.avaya.com">http://support.avaya.com</a>.

The following Plantronics product documentation can be found at <a href="http://www.plantronics.com">http://www.plantronics.com</a>.

- [2] Plantronics Hub v3.7 for Windows User Guide.
- [3] Plantronics Calisto P240 USB Handset Quick Start Guide.

#### ©2016 Avaya Inc. All Rights Reserved.

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by ® and TM are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at <a href="mailto:devconnect@avaya.com">devconnect@avaya.com</a>.