

Avaya Solution & Interoperability Test Lab

## **Application Notes for Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone** with Avaya Communicator for Windows - Issue 1.0

#### Abstract

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Voyager Calisto 620 Bluetooth Wireless Speakerphone with Avaya Communicator for Windows. Plantronics Hub Software enables the integrated call control features for Calisto 620, including call answer/end and synchronized mute with Communicator for Windows. The Plantronics Hub Software was installed on the desktop PC running Communicator for Windows. Calisto 620 connected via Bluetooth to a Plantronics BT300C-M Bluetooth USB Adapter connected to the desktop PC running Communicator for Windows.

Readers should pay attention to **Section 2**, in particular the scope of testing as outlined in **Section 2.1** as well as the observations noted in **Section 2.2** to ensure that their own use cases are adequately covered by this scope and results.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

## 1. Introduction

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Voyager Calisto 620 Bluetooth Wireless Speakerphone with Avaya Communicator for Windows. Plantronics Hub Software enables the integrated call control features for Calisto 620, including call answer/end and synchronized mute with Communicator for Windows. The Plantronics Hub Software was installed on the desktop PC running Communicator for Windows. Calisto 620 connected via Bluetooth to a Plantronics BT300C-M Bluetooth USB Adapter connected to the desktop PC running Communicator for Windows.

Refer to the appropriate Plantronics documentation listed in **Section 10** for additional product information.

## 2. General Test Approach and Test Results

Avaya's formal testing and Declaration of Conformity is provided only on the headsets/handsets that carry the Avaya brand or logo. Avaya may conduct testing of non-Avaya headset/handset to determine interoperability with Avaya phones. However, Avaya does not conduct the testing of non-Avaya headsets/handsets for: Acoustic Pressure, Safety, Hearing Aid Compliance, EMC regulations, or any other tests to ensure conformity with safety, audio quality, long-term reliability or any regulation requirements. As a result, Avaya makes no representations whether a particular non-Avaya headset will work with Avaya's telephones or with a different generation of the same Avaya telephone.

Since there is no industry standard for handset interfaces, different manufacturers utilize different handset/headset interfaces with their telephones. Therefore, any claim made by a headset vendor that its product is compatible with Avaya telephones does not equate to a guarantee that the headset will provide adequate safety protection or audio quality.

The interoperability compliance test included feature and serviceability testing. The feature testing focused on placing calls to and from Avaya Communicator for Windows using the Plantronics Hub Software and Plantronics Calisto 620 and verifying 2-way audio. The type of calls made included calls to voicemail, to local stations, and to the PSTN.

The serviceability testing focused on verifying the usability of Calisto 620 after restarting the Avaya Communicator for Windows, disconnecting and reconnecting the speakerphone, and rebooting the PC.

#### 2.1. Interoperability Compliance Testing

All test cases were performed manually. The following features were verified:

- Placing calls to the voicemail system. Voice messages were recorded and played back to verify that the playback volume and recording level were good.
- Placing calls to local stations to verify two-way audio.

JAO; Reviewed: SPOC 1/25/2016

- Placing calls to the PSTN to verify two-way audio.
- Answering and ending calls using the call control button on the speakerphone.
- Using the volume control buttons on the speakerphone to adjust the playback volume.
- Using the mute button on the speakerphone and on Communicator for Windows to mute and un-mute the audio, including verifying that the mute status was accurately reflected on the speakerphone and Communicator for Windows.
- Communicator for Windows was tested using a H.323 and SIP interface.

For the serviceability testing, the speakerphone was disconnected and reconnected to verify proper operation. Avaya Communicator for Windows application was also restarted for the same purpose. The desktop PC was also rebooted to verify that Communicator for Windows and speakerphone were operational when the PC came back into service.

#### 2.2. Test Results

All test cases passed. Incoming and outgoing calls were place to/from Avaya Communicator for Windows with the Plantronics headset and two-way audio was verified. Call, mute, and volume control directly from the headset were verified.

#### 2.3. Support

For technical support and information on Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone, contact Plantronics at:

- Phone: 1-855-765-7878 (toll free)
- Website: <u>http://www.plantronics.com/us/support/</u>

# 3. Reference Configuration

**Figure 1** illustrates the test configuration used to verify the Plantronics solution. The configuration consists of Avaya Aura® Communication Manager running in a virtual environment with an Avaya G450 Media Gateway providing connectivity to the PSTN via an ISDN-PRI trunk (not shown). Avaya Aura® Messaging was used as the voicemail system. Avaya Communicator for Windows and Plantronics Hub Software were installed on a desktop PC running Windows 7. Voyager Calisto 620 connected via Bluetooth to a Plantronics BT300C-M Bluetooth USB Adapter connected to the desktop PC running Communicator for Windows. Avaya Aura® System Manager and Avaya Aura® Session Manager (not shown) were also used in the test configuration to test Communicator for Windows with a SIP interface.




Figure 1: Avaya Communicator for Windows with Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone

## 4. Equipment and Software Validated

The following equipment and software were used for the sample configuration provided:

| Equipment/Software   | Release/Version  |
|--|--|
| Avaya Aura® Communication Manager in a<br>Virtual Environment with an Avaya G450<br>Media Gateway                        | 7.0 SP 1<br>(R017x.00.0.441.0 with Patch 22477)  |
| Avaya Aura® System Manager   | 7.0<br>(Build No. 7.0.0.016266-7.0.9.912<br>Software Update Revision No: 7.0.0.0.3929) |
| Avaya Aura® Session Manager  | 7.0.0.700007   |
| Avaya Aura® Messaging  | 6.3.2 SP 2 Patch 3   |
| Avaya Communicator for Windows on<br>Microsoft Windows 7   | 2.1 SP 2 (2.1.2.75)  |
| Avaya 9600 Series IP Telephone   | S3.250A (H.323)  |
| Avaya 96x1 Series IP Telephone   | 7.0.0.39 (SIP)   |
| Plantronics Hub Software   | 3.6.51102.21715  |
| Plantronics Calisto 620 Bluetooth Wireless<br>Speakerphone with Plantronics BT300C-M<br>Bluetooth USB Adapter (Standard) | Base: v.490<br>Headset: v.200<br>USB: v.921  |

# 5. Configure Avaya Aura® Communication Manager

This section covers the station configuration for Communicator for Windows. The configuration is performed via the System Access Terminal (SAT) on Communication Manager.

To configure Communicator for Windows using a SIP interface, a SIP station was configured automatically through Avaya Aura® System Manager. The **Station Type** was set to *9630SIP* and a descriptive **Name** was also provided. The **IP Softphone** field was set to *y*. Use the default values for the other fields on **Page 1**.

| display station 78400  | STATION                          | Page 1 of 5 |
|------------------------|----------------------------------|-------------|
|                        | STATION                          |             |
| Extension: 78400       | Lock Messages? n                 | BCC: 0      |
| Type: 9630SIP          | Security Code:                   | TN: 1       |
| Port: S00009           | Coverage Path 1:                 | COR: 1      |
| Name: Plantronics      | Coverage Path 2:                 | COS: 1      |
|                        | Hunt-to Station:                 | Tests? y    |
| STATION OPTIONS        |                                  |             |
|                        | Time of Day Lock Tal             | ole:        |
| Loss Group:            |                                  |             |
|                        | Message Lamp 1                   |             |
|                        | Mute Button Enab.                | -           |
| Display Language:      | english Button Modu              | les: 0      |
| Survivable COR:        | internal Media Complex 1         | Fyt•        |
| Survivable Trunk Dest? |                                  |             |
|                        |                                  | 1           |
|                        | IP Video Softph                  | one? n      |
|                        | Short/Prefixed Registration Allo |             |

# 6. Configure Avaya Communicator for Windows

Connect the Plantronics headset to the PC via a USB port. Next, ensure that the **Sound** properties under Windows 7 Control Panel are set properly. Verify that the Plantronics headset has been detected by Windows 7 and that it has been set as the default device in the **Playback** and **Recording** tabs as shown below.

| Select a p | layback device below to                           | modify its settings: |            |
|------------|---|----------------------|------------|
|            | <b>Speakers</b><br>High Definition Audio<br>Ready | o Device             |            |
| 3.         | Receive<br>Plantronics BT300C-M<br>Default Device | 1                    |            |
| Config     | ure   | Set Default          | Properties |



Solution & Interoperability Test Lab Application Notes ©2016 Avaya Inc. All Rights Reserved. After logging into Communicator for Windows, click on and then select **Other Settings** as shown below.



The BT300C-M Bluetooth USB Adapter is automatically detected by Communicator for Windows. In the **Settings** window, navigate to **Audio** and set the **Microphone** and **Speaker** fields to *Transmit (Plantronics BT300C-M)* and *Receive (Plantronics BT300C-M)*, respectively, as shown below. Click **OK**.

| A Settings  |   |  |  |  |  |
|---|---|--|--|--|--|
|   | Audio   |  |  |  |  |
| Server<br>Dialing Rules<br>Enterprise Search<br>Contacts            | Microphone Transmit (Plantronics BT300C-M) The microphone volume can be adjusted using the Microsoft® Windows® settings. Speaker  |  |  |  |  |
| Audio   | Receive (Plantronics BT300C-M)       ✓         The speaker volume can be adjusted using the Microsoft® Windows® settings.         Ringing         ✓ Ring on incoming calls         When a call arrives, an alert will sound through the speakers you have selected above in the 'Speaker' |  |  |  |  |
| Video<br>Conference<br>Messaging<br>Preferences<br>About<br>Support |   |  |  |  |  |
|   | dropdown.          Ring additional device         Speakers (SigmaTel High Definit   |  |  |  |  |
|   | OK Cancel   |  |  |  |  |

#### 7. Install Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone

The Plantronics Hub software enables the Plantronics Calisto 620 Bluetooth Wireless Speakerphone to answer, end, and mute calls using the call control button on the headsets. Install the software on the PC running the Communicator for Windows. Refer to [3] for additional information.

After the Hub software is installed, turn on the Calisto 620 speakerphone and then connect the Plantronics BT300C-M Bluetooth USB adapter to the desktop PC running Communicator for Windows. When the speakerphone is paired via Bluetooth, a chime should be heard on the speakerphone and the Bluetooth LED on the speakerphone should blink blue once. If the speakerphone needs to be paired again, follow the instructions in [4].

Prior to using the speakerphone, the Plantronics Hub software should be running and should have detected the speakerphone as shown below. All default settings for the Hub software were used for compliance testing.

| * Plantronics Hub | ALC: NAMES OF TAXABLE PARTY.  | (married) |         |            |        |
|-------------------|---|-----------|---------|------------|--------|
| Device: Calisto 6 | 20  | About     | Updates | Settings 🔻 | Help 🔻 |
|                   |   |           |         |            |        |
| Calici            | to 620  |           |         |            |        |
| Calls             | 10 020  |           |         |            |        |
|                   |   |           |         |            |        |
| Firmware          | All Components   View All Components   Vi | N         |         |            |        |
| Battery Leve      | l Hig   | 'n        |         |            |        |
|                   |   | 20<br>2   |         |            |        |
| Connections       | USB   |           |         | 3          |        |
| Product ID        | 0418  |           |         |            |        |
|                   |   |           |         |            |        |
| Serial #          | Unavailable   |           |         |            |        |
| Description       | Read more on plantronics.   | com       |         |            |        |
| plantroni         | CS:   |           |         |            |        |
|                   |   |           |         |            |        |

### 8. Verification Steps

This section provides the tests that can be performed to verify proper installation and configuration of the Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone with Communicator for Windows.

- 1. Start the Communicator for Windows application.
- 2. Place an incoming call to Communicator for Windows from any local phone.
- 3. Answer the call using the call control button on the speakerphone.
- 4. Verify two-way talk path between the speakerphone and phone.
- 5. Disconnect the call from the speakerphone using the call control button.
- 6. Verify that the call is properly disconnected.

### 9. Conclusion

These Application Notes describe the configuration steps required to integrate the Plantronics Hub Software and Plantronics Calisto 620 Bluetooth Wireless Speakerphone with Avaya Communicator for Windows. All test cases were completed successfully.

### **10.** Additional References

This section references the Avaya and Plantronics documentation that are relevant to these Application Notes.

The following Avaya product documentation can be found at <u>http://support.avaya.com</u>.

- [1] Administering Avaya Aura® Communication Manager, Release 7.0, Issue 1, August 2015, Document Number 03-300509.
- [2] *Implementing Avaya Communicator for Android, iPad, iPhone, and Windows*, Release 2.1, Issue 5, September 2015.

The following Plantronics product documentation can be found at <u>http://www.plantronics.com</u>.

- [3] Plantronics Hub v3.6 for Windows User Guide.
- [4] Plantronics Calisto 620 Bluetooth Wireless + Bluetooth USB Adapter Quick Start Guide.

#### ©2016 Avaya Inc. All Rights Reserved.

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by ® and <sup>TM</sup> are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at <u>devconnect@avaya.com</u>.