



Avaya Solution & Interoperability Test Lab

Application Notes for Jabra LINK 33 EHS Adapter and Jabra Motion Office with Avaya 9400/9500 Series Digital Deskphones - Issue 1.0

Abstract

These Application Notes describe the configuration steps required to integrate the Jabra LINK 33 EHS (Electronic Hook Switch) Adapter and Jabra Motion Office with Avaya 9400/9500 Series Digital Deskphones. The Jabra LINK 33 Adapter provides Jabra Motion Office the ability to hear ring tones, and to answer and end calls directly from the headset when the user is away from their desk.

Readers should pay attention to section 2, in particular the scope of testing as outlined in Section 2.1 as well as the observations noted in Section 2.2, to ensure that their own use cases are adequately covered by this scope and results.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

1. Introduction

These Application Notes describe the configuration steps required to integrate Jabra LINK 33 EHS (Electronic Hook Switch) Adapter and Jabra Motion Office with Avaya 9400/9500 Series Digital Deskphones. Jabra LINK 33 provides Jabra Motion Office the ability to hear ring tones, to answer and to end calls directly from the headset when the user is away from their desk.

Note: The Avaya 9400 Series Digital Telephone is supported on Avaya Aura® Communication Manager and the Avaya 9500 Series Digital Telephone is supported on Avaya IP Office.

2. General Test Approach and Test Results

The interoperability compliance test included feature and serviceability testing. The feature testing focused on placing calls to and from the Avaya 9400/9500 Series Digital Deskphones with the Jabra LINK 33 EHS Adapter and Jabra Motion Office and verifying two-way audio. The call types included calls to and from local extensions, PSTN and voicemail.

The serviceability testing focused on verifying the usability of Jabra Motion Office after restarting the Avaya 9400/9500 Series Digital Deskphones and power cycling the headset base.

DevConnect Compliance Testing is conducted jointly by Avaya and DevConnect members. The jointly-defined test plan focuses on exercising APIs and/or standards-based interfaces pertinent to the interoperability of the tested products and their functionalities. DevConnect Compliance Testing is not intended to substitute full product performance or feature testing performed by DevConnect members, nor is it to be construed as an endorsement by Avaya of the suitability or completeness of a DevConnect member's solution.

Avaya's formal testing and Declaration of Conformity is provided only on the headsets/handsets that carry the Avaya brand or logo. Avaya may conduct testing of non-Avaya headset/handset to determine interoperability with Avaya phones. However, Avaya does not conduct the testing of non-Avaya headsets/handsets for: Acoustic Pressure, Safety, Hearing Aid Compliance, EMC regulations, or any other tests to ensure conformity with safety, audio quality, long-term reliability or any regulation requirements. As a result, Avaya makes no representations whether a particular non-Avaya headset will work with Avaya's telephones or with a different generation of the same Avaya telephone.

Since there is no industry standard for handset interfaces, different manufacturers utilize different handset/headset interfaces with their telephones. Therefore, any claim made by a headset vendor that its product is compatible with Avaya telephones does not equate to a guarantee that the headset will provide adequate safety protection or audio quality.

2.1. Interoperability Compliance Testing

All test cases were performed manually. The following features were verified:

- Placing calls to the voicemail system. Voice messages were recorded and played back to verify that the playback volume and recording level were good.
- Placing calls to/from internal extensions to verify two-way audio.
- Placing calls to/from the PSTN to verify two-way audio.
- Hearing incoming call notification.
- Hearing ring back tone for outgoing calls.
- Answering and ending calls using the call control buttons on the headset.
- Toggling between handset, speakerphone, and headset.
- Using the volume control buttons on the headset to adjust the audio volume.
- Using the mute control button on the headset to mute and un-mute the audio.

For the serviceability testing, the Avaya 9400/9500 Series Digital Deskphones were restarted to verify proper operation of the headset after the reboot was completed. Power cycling of the Motion Office base was also performed to verify proper operation after it powered up.

2.2. Test Results

All test cases passed. See **Section 3.1** for instructions on answering, ending, and placing calls with the headset.

2.3. Support

For technical support of the Jabra Motion Office Headset, and Jabra products in general, please refer to www.jabra.com. On the Jabra website, support hotline numbers can be found for specific countries.

3. Reference Configuration

Figure 1 illustrates the test configuration used to verify the Jabra LINK 33 EHS Adapter and Jabra Motion Office with Avaya 9400/9500 Series Digital Deskphones. The configuration consists of an Avaya S8800 Server running Avaya Aura® Communication Manager with an Avaya G650 Media Gateway, which supports the 9400 Series Digital Deskphones. An Avaya IP Office is used to support the 9500 Series Digital Deskphones. The G650 Media Gateway provides connectivity to the PSTN via an ISDN-PRI trunk (not shown). Avaya Aura® Messaging was used as the voicemail system.




Figure 1: Avaya 9400/9500 Series Digital Deskphones with Jabra LINK 33 EHS Adapter and Jabra Motion Office

3.1. Answering, Ending, and Placing Calls

To answer, end, or place a call using Jabra Motion Office with 9400/9500 Series Digital Deskphones follow the instructions below.

- | | |
|------------------|--|
| To Answer a Call | <ul style="list-style-type: none">▪ Press the call control button on the headset to answer an incoming call. This would automatically activate the headset button on the digital telephone.▪ Alternatively, press the headset button on the Deskphone to answer an incoming call. This would automatically activate the headset when used with a 9400 Series Digital Deskphone. If used with a 9500 Series Digital Deskphone then press the call control button on the headset, if it isn't already activated, to answer an incoming call.▪ If auto-answer is enabled and the headset button on the digital telephone <i>and</i> the call control button on the headset are activated, subsequent incoming calls will be answered automatically and a two-way audio path will be established to the headset. |
| To End a Call | <ul style="list-style-type: none">▪ Press the call control button on the headset to terminate a call. This automatically deactivates the headset button on the digital telephone.▪ Alternatively, press the headset button on the Deskphone to terminate a call. The headset will automatically deactivate. |
| To Place a Call | <ul style="list-style-type: none">▪ The call button on the headset is not used to initiate a call. Alternatively select the desk phone on the Jabra Motion Office touchscreen and then press the green handset icon to get dial tone and dial the number. This would automatically activate the headset button on the IP telephone.▪ Alternatively, if the headset button on the Deskphone is pressed first, the headset will automatically activate and the number can be dialed. |

4. Equipment and Software Validated

The following equipment and software were used for the sample configuration provided:

Equipment/Software	Release/Version
Avaya Aura® Session Manager running on S8800 Server	Release: 6.3.2.0.632023
Avaya Aura® System Manager running on S8800 Server	6.3.0 - FP2 Build No. - 6.3.0.8.5682-6.3.8.1627
Avaya Aura® Communication Manager running on Avaya S8800Server	R016x.03.0.124.0 patch 21172
Avaya G650 Media Gateway IPSI TN2312BP CLAN TN799DP IP Media Processor TN2302AP Digital Line TN2224	HW06, FW043 HW01, FW026 HW20, FW117 000006
Avaya IP Office	9.0.0.829
Avaya Aura® Messaging	6.2
Avaya 9400 Series Digital Deskphones	2.0 SP3 (R12)
Avaya 9500 Series Digital Deskphones	Rel 0.55
Avaya 9621G IP Deskphone (SIP)	SIP 6.3.0.73
Avaya 9640 IP Deskphone (H.323)	3.2.1
Jabra LINK 33 EHS Adapter	P/N 14201-33
Jabra Motion Office	1.17.0

Testing was performed with IP Office 500 R9.0, but it also applies to IP Office Server Edition R9.0. Note that IP Office Server Edition requires an Expansion IP Office 500 v2 R9.0 to support analog or digital endpoints or trunks.

5. Configure Avaya Aura® Communication Manager

This section covers the station configuration for the Avaya 9404 Digital Telephone. The configuration is performed via System Access Terminal (SAT) on Communication Manager.

5.1. Configure a Station for Avaya 9400 Series Digital Deskphone

Use the **add station** command to create a station for the 9400 Series Digital Deskphone. Set the **Type** field to the station type to be emulated. In this example, *9408* was used. Set the **Port** field to an *available digital port* and configure a **Name**.

add station 53040		Page	1 of	5
STATION				
Extension: 53040	Lock Messages? n	BCC:	0	
Type: 9408	Security Code:	TN:	1	
Port: 01A0501	Coverage Path 1:	COR:	1	
Name: 9408 Digital	Coverage Path 2:	COS:	1	
	Hunt-to Station:			
STATION OPTIONS				
	Time of Day Lock Table:			
Loss Group: 2	Personalized Ringing Pattern: 1			
	Message Lamp Ext: 53040			
Speakerphone: 2-way	Mute Button Enabled? y			
Display Language: english	Button Modules: 0			
Survivable COR: internal				
Survivable Trunk Dest? y	IP SoftPhone? n			
	Remote Office Phone? n			
	IP Video? n			
	Customizable Labels? y			

6. Configure Avaya IP Office

Avaya IP Office automatically configured a digital station (extension and user) for the 9508 digital telephone, which will use the Jabra headset. This section displays the extension and user configuration using the Avaya IP Office Manager application.

From a PC running the Avaya IP Office Manager application, select **Start → Programs → IP Office → Manager** to launch the Manager application. Select the proper IP Office system and log in with the appropriate credentials.

6.1. Extension Configuration

From the configuration tree in the left pane, select the appropriate **Extension** for the digital station to view the configuration, which is shown below. In this example, extension 28201 was used.

The screenshot shows the 'Digital Extension: 101 28201' configuration window. On the left, the 'IP Offices' pane shows a tree of extensions, with '101 28201' selected. The main configuration area contains the following fields:

- Extn: 101
- Extension Id: 101
- Base Extension: 28201
- Caller Display Type: On
- Reset Volume After Calls: ☐
- Device Type: Avaya 9508
- Location: System (None)
- Module: 1
- Port: 1
- Disable Speakerphone: ☐

6.2. User Configuration

From the configuration tree in the left pane, select the appropriate **User** for the digital station to view the configuration, which is shown below. In this example, extension 28201 was used.


The screenshot shows the 'User: Extn28201: 28201' configuration window. On the left, the 'IP Offices' pane shows a tree of users, with '28201 Extn28201' selected. The main configuration area contains the following fields:

- Name: Extn28201
- Password:
- Confirm Password:
- Account Status: Enabled
- Full Name: Tom Smith
- Extension: 28201
- Email Address:
- Locale:
- Priority: 5
- System Phone Rights: None
- ACCS Agent Type: None
- Profile: Basic User
- ☐ Receptionist
- ☐ Enable Softphone

Buttons at the bottom: OK, Cancel, Help.

7. Jabra LINK 33 Cable Connections

To connect Jabra Motion Office to 9400/9500 Series Digital Deskphones, use the Jabra LINK 33 Adapter as shown in the diagram below.



8. Jabra Motion Office Configuration

Jabra Motion Office should be configured to use **DHSG** protocol and the clear dial-tone switch should be set to position “**A**”. There are two modes of configuring the desk phone settings, **guided** or **manual**. For compliance testing, the **manual** mode was used. Use the following steps to manually configure Jabra Motion Office:

- Select the **tool** icon on the top right hand corner of the headset touch screen
- Select **phone settings**
- Select **desk phone**
- Select **setup desk phone**
- Acknowledge the warning message given by selecting **confirm**
- Select **manual** desk phone setup
- Select **DHSG** adapter type
- Under set clear dial-tone switch select position “**A**”
- Select a **microphone level**
- The base will restart after exiting to apply the settings

9. 9400/9500 Deskphone Settings

To set the default audio path for the 9400/9500 Deskphone select **Home → Call Settings → Audio Path** and then select **Headset**.

10. Verification Steps

Verify that the Jabra LINK 33 and Jabra Motion Office have been connected to the Avaya 9400/9500 Deskphone correctly. Once the headset is connected to the phone, verify that incoming and outgoing calls are established with two-way audio to the headset and that the headset can get dial tone and end an active call.

11. Conclusion

These Application Notes describe the configuration steps required to integrate Jabra LINK 33 EHS Adapter and Jabra Motion Office with Avaya 9400/9500 Series Digital Deskphones. All test cases were completed successfully with observations noted in **Section 2.2**.

12. Additional References

This section references product documentation relevant to these Application Notes.

Documentation for Avaya products can be found at <http://support.avaya.com>.

[1] *Administering Avaya Aura® Communication Manager Release 6.3*,
Document Number 03-300509, Issue 9, October 2013

[2] *Avaya Aura® Communication Manager Feature Description and Implementation Release 6.3*, Document Number 555-245-205, Issue 11, October 2013

[3] *9400 Release Readme* - January 29, 2014

Documentation for Jabra Motion Office and Jabra products can be found at <http://www.jabra.com>.

[4] *Jabra MOTIONTM OFFICE User Manual*, Rev A, 2014

©2014 Avaya Inc. All Rights Reserved.

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by ® and ™ are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at devconnect@avaya.com.