



Avaya Solution & Interoperability Test Lab

Application Notes for Configuring Plantronics DA60 USB Adapter, Plantronics SupraPlus Wideband and EncorePro Headsets with Avaya one-X® Communicator - Issue 1.0

Abstract

These Application Notes describe the configuration steps required to integrate the Plantronics DA60 USB Adapter, Plantronics SupraPlus Wideband and EncorePro headsets with Avaya one-X® Communicator.

The Plantronics DA60 USB Adapter is an enterprise class, corded USB-to-headset adapter that provides Plantronics headsets the ability to manage PC communications with the use of softphone applications; it offers call control with inline Volume and Mute buttons. The Plantronics SupraPlus Wideband and EncorePro headsets were used to verify the functionality of the Plantronics DA60 USB Adapter.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

1. Introduction

These Application Notes describe the configuration steps required to integrate the Plantronics DA60 USB Adapter, Plantronics SupraPlus Wideband and EncorePro headsets with Avaya one-X® Communicator.

The following headsets and accessories were tested:

- Plantronics DA60 USB Adapter - Provides the headsets with an USB interface for connection to a PC. Includes in-line controls for Volume and Mute. Also, includes Quick Disconnect™ capability.
- Plantronics SupraPlus Wideband HW251N – Monaural, noise cancelling headset.
- Plantronics SupraPlus Wideband HW261N – Binaural, noise cancelling headset.
- Plantronics EncorePro HW291N – Monaural, noise cancelling headset.
- Plantronics EncorePro HW301N – Binaural, noise cancelling headset.

2. General Test Approach and Test Results

DevConnect Compliance Testing is conducted jointly by Avaya and DevConnect members. The jointly-defined test plan focuses on exercising APIs and/or standards-based interfaces pertinent to the interoperability of the tested products and their functionalities. DevConnect Compliance Testing is not intended to substitute full product performance or feature testing performed by DevConnect members, nor is it to be construed as an endorsement by Avaya of the suitability or completeness of a DevConnect member's solution.

Avaya's formal testing and Declaration of Conformity is provided only on the headsets/handsets that carry the Avaya brand or logo. Avaya may conduct testing of non-Avaya headset/handset to determine interoperability with Avaya phones. However, Avaya does not conduct the testing of non-Avaya headsets/handsets for: Acoustic Pressure, Safety, Hearing Aid Compliance, EMC regulations, or any other tests to ensure conformity with safety, audio quality, long-term reliability or any regulation requirements. As a result, Avaya makes no representations whether a particular non-Avaya headset will work with Avaya's Deskphones or with a different generation of the same Avaya Deskphone.

Since there is no industry standard for handset interfaces, different manufacturers utilize different handset/headset interfaces with their Deskphones. Therefore, any claim made by a headset vendor that its product is compatible with Avaya Deskphones does not equate to a guarantee that the headset will provide adequate safety protection or audio quality.

The interoperability compliance test included feature and serviceability testing. The feature testing focused on placing calls to and from a PC running Avaya one-X® Communicator with the Plantronics DA60 USB Adapter, Plantronics SupraPlus Wideband and EncorePro headsets and verifying two-way audio. The call types included calls to voicemail, to and from local extensions and the PSTN.

The serviceability testing focused on verifying the usability of the Plantronics SupraPlus Wideband and EncorePro headsets after restarting Avaya one-X® Communicator.

2.1. Interoperability Compliance Testing

All test cases were performed manually. The following features were verified:

- Placing calls to the voicemail system. Voice messages were recorded and played back to verify that the playback volume and recording level were good.
- Placing and receiving calls to and from internal IP (H.323), Digital and Analog extensions to verify two-way audio.
- Placing and receiving calls to and from the PSTN to verify two-way audio.
- Hearing ring back tone on the headsets for incoming and outgoing calls.
- Answering and ending calls using the call control buttons on Avaya one-X® Communicator.
- Using the volume control buttons on Avaya One-X® Communicator and in-line volume control button of the DA60 USB Headset Adapter. Note that the in-line volume control button on the DA60 USB Headset Adapter controls the volume under Sounds and Audio Devices Properties in Microsoft Windows® Control Panel.
- Using the Mute control button on Avaya One-X® Communicator and the in-line mute control button of the DA60 USB Adapter to mute and un-mute the audio on the headsets.
- Using the Hold button on Avaya One-X® Communicator to hold and un-hold the calls.

Serviceability testing was done by exiting and login back into Avaya one-X® Communicator and by un-plugging and plugging back in the Plantronics DA60 USB Adapter from the PC during active calls to ensure that two way audio is re-established automatically to the headsets.

2.2. Test Results

All test cases passed.

2.3. Support

For support on this Plantronics headset solution, contact Plantronics at:

- Phone: (888) 752-6876
- Website: <http://www.plantronics.com/us/support>

3. Reference Configuration

Figure 1 illustrates the test configuration used to verify the Plantronics DA60 USB Adapter and Plantronics SupraPlus Wideband and EncorePro headsets with Avaya one-X® Communicator. The configuration consists of an Avaya S8300 server running Avaya Aura® Communication Manager with an Avaya G450 Media Gateway and a mix of Deskphones (IP, analog and digital) for placing calls to and from the equipment under test.




Figure 1: Avaya one-X® Communicator with Plantronics DA60 USB Adapter, Plantronics SupraPlus Wideband and EncorePro headsets.

4. Equipment and Software Validated

The following equipment and software were used for the sample configuration:

Equipment/Software	Release/Version
Avaya Aura® Communication Manager running on Avaya S8300 Server with a G450 Media Gateway	6.0.1 SP8.01 (00.1.510.1-19917)
Microsoft Windows® XP Professional	Ver. 2002, Service Pack 3
Avaya one-X® Communicator	6.1.5.07-SP5-37495
Avaya 9600 Series IP Deskphones (H.323)	Avaya one-X® Desk phone Edition Version 3.104
Avaya Analog Deskphone	N/A
Avaya 2420 Digital Deskphone	6.0
Plantronics DA60 USB Adapter	N/A
Plantronics SupraPlus Wideband (HW251N) Headset	N/A
Plantronics SupraPlus Wideband (HW261N) Headset	N/A
Plantronics EncorePro (HW291N) Headset	N/A
Plantronics EncorePro (HW301N) Headset	N/A

5. Configure Avaya Aura® Communication Manager

These Application Notes assume that Avaya Aura® Communication Manager is configured and operational. This section focuses only on the configuration of the station to be use with Avaya one-X® Communicator. The values configured in this section were used during the compliance tests, default values may be used for any fields not configured in these Application Notes. The configuration is performed via the System Access Terminal (SAT) on Avaya Aura® Communication Manager.

5.1. Configure a Station for Avaya one-X® Communicator

To create a station to be used with Avaya one-X® Communicator use the **add station n** command; where **n** is an available extension in the dial plan, extension **3048** was used in the sample configuration. Set the **Type** field to the IP Telephone type that will be emulated, **9640** was used in the sample configuration. In the **Security Code** field enter a password to be used by Avaya one-X® Communicator to log in. Set the **Coverage Path 1** field to the Coverage Path configured for Voice Mail, “**1**” was used in the sample configuration. Ensure that **IP SoftPhone?** is set to **y**.

display station 3048		Page 1 of 5
STATION		
Extension: 3048	Lock Messages? n	BCC: M
Type: 9640	Security Code: *	TN: 1
Port: S00013	Coverage Path 1: 1	COR: 1
Name: H.323 one-X, Ext 3048	Coverage Path 2:	COS: 1
	Hunt-to Station:	
STATION OPTIONS		
Loss Group: 19	Time of Day Lock Table:	
Speakerphone: 2-way	Personalized Ringing Pattern: 1	
Display Language: english	Message Lamp Ext: 3048	
Survivable GK Node Name:	Mute Button Enabled? y	
Survivable COR: internal	Button Modules: 0	
Survivable Trunk Dest? y	Media Complex Ext:	
	IP SoftPhone? y	
	IP Video Softphone? y	
	Short/Prefixed Registration Allowed: default	
	Customizable Labels? y	

6. Connect the Plantronics DA60 USB Adapter and Headsets to the PC running Avaya one-X® Communicator


During the compliance test the Plantronics DA60 USB Adapter was used to connect the Plantronics SupraPlus Wideband and EncorePro headsets to the PC running Avaya one-X® Communicator.


6.1. Cable connections

To connect the Plantronics DA60 USB Adapter to the PC running Avaya one-X® Communicator and to the Plantronics headsets, see diagram below.




7. Configure Avaya one-X® Communicator

These Application Notes assume that Avaya one-X® Communicator is already configured and operational. This section focuses only on the settings used with the Plantronics DA60 USB Adapter and Plantronics SupraPlus Wideband and EncorePro headsets. After starting Avaya one-X® Communicator, select  → **Settings** from the menu as shown below.




Under **General Settings** → **Devices and Services** select **Audio** and the **Basic** tab. Once login into Avaya one-X® Communicator is completed the Plantronics DA60 USB Adapter is automatically detected by Microsoft Windows® as **PLTDA60**, Avaya one-X® Communicator will display **PLTDA60** under **Microphone** and **Speaker** tabs. For best audio results, set the speaker volume to the maximum volume setting (move the volume control all the way to the right) under **Audio** → **Speaker** → **Volume** on the **Basic** tab, then adjust the speaker volume of the headset as needed using the in-line volume control on the DA60 USB Adapter. Note that the in-line volume control on the DA60 USB Adapter controls the volume under Sounds and Audio Devices Properties in Microsoft Windows® Control Panel.



8. Answering, Ending, and Placing Calls

To answer, end, or place a call using the Plantronics DA60 USB Adapter and Plantronics SupraPlus Wideband, EncorePro headsets with Avaya one-X® Communicator follow the instructions below.

- To Answer a Call
- During incoming calls Avaya one-X® Communicator will display an **Incoming call** toast similar to the one shown below, press the green telephone handset icon on the incoming call toast.




- To End a Call
- Press the red telephone handset icon on Avaya one-X® Communicator to terminate a call.



To Place a Call

- Press the black telephone handset icon on Avaya one-X® Communicator to receive dial tone, enter the number after receiving dial tone, or enter a number first as shown below, then press the black telephone handset icon.



9. Verification Steps

Verify that the Plantronics DA60 USB Adapter and Plantronics SupraPlus Wideband or EncorePro headsets have been connected to the PC running Avaya one-X® Communicator, as shown in **Section 6.1**. Once the Adapter and the headset are connected to the PC, verify that incoming and outgoing calls can be established from Avaya one-X® Communicator, and that clear two-way audio, dial tone, ring-back tone can be heard on the headset when making calls.

10. Conclusion

These Application Notes describe the configuration steps required to integrate the Plantronics DA60 USB Adapter and Plantronics SupraPlus Wideband, EncorePro headsets with Avaya one-X® Communicator. All test cases were completed successfully.

11. Additional References

This section references the Avaya and Plantronics documentation that are relevant to these Application Notes.

The following Avaya product documentation can be found at <http://support.avaya.com>

- [1] *Administering Avaya Aura™ Communication Manager*, Release 6.0, Issue 6.0, June 2010, Document Number 03-300509.
- [2] *Implementing Avaya one-X® Communicator*, June 2012.

The following Plantronics documentation and software downloads can be found at <http://www.plantronics.com/us/support/docs/>

- [3] *DA60 user Guide*
- [4] *Plantronics EncorePro User Guide*.
- [5] *Plantronics SupraPlus Wideband User Guide*.

©2012 Avaya Inc. All Rights Reserved.

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by ® and ™ are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at devconnect@avaya.com.