

Avaya Solution & Interoperability Test Lab

Application Notes for Plantronics Voyager PRO UC WG200/B Wireless Headset System with Avaya IP Softphone, Avaya IP Agent and Avaya one-X® Communicator - Issue 1.0

Abstract

These Application Notes describe a compliance-tested configuration comprised of Plantronics Voyager PRO UC WG200/B Wireless Headset System with Avaya IP Softphone, Avaya IP Agent, Avaya one-X® Communicator and Avaya Aura[™] Communication Manager. Designed for mobile professionals in the office or on-the-go, this single headset enables seamless switching between calls received on the PC and those received on the mobile phone.

Information in these Application Notes has been obtained through DevConnect compliance testing and additional technical discussions. Testing was conducted via the DevConnect Program at the Avaya Solution and Interoperability Test Lab.

1. Introduction

These Application Notes describe the configuration steps required for Plantronics Voyager PRO UC WG200/B Wireless Headset System with Avaya IP Softphone, Avaya IP Agent, Avaya one-X® Communicator and Avaya Aura[™] Communication Manager. Designed for mobile professionals in the office or on-the-go, this single headset enables seamless switching between calls received on the PC and those received on the mobile phone. The Plantronics Voyager PRO UC WG200/B Wireless Headset System consists of the BUA-200 USB Bluetooth Adapter and the WH200/B Voyager PRO Headset.

1.1. Interoperability Compliance Testing

Avaya's formal testing and Declaration of Conformity is provided only on the headsets/handsets that carry the Avaya brand or logo. Avaya may conduct testing of non-Avaya headset/handset to determine interoperability with Avaya phones. However, Avaya does not conduct the testing of non-Avaya headsets/handsets for: Acoustic Pressure, Safety, Hearing Aid Compliance, EMC regulations, or any other tests to ensure conformity with safety, audio quality, long-term reliability or any regulation requirements. As a result, Avaya makes no representations whether a particular non-Avaya headset will work with Avaya's telephones or with a different generation of the same Avaya telephone.

Since there is no industry standard for handset interfaces, different manufacturers utilize different handset/headset interfaces with their telephones. Therefore, any claim made by a headset vendor that its product is compatible with Avaya telephones does not equate to a guarantee that the headset will provide adequate safety protection or audio quality.

The interoperability compliance test included feature and serviceability testing. The feature testing focused on placing calls to and from Avaya IP Softphone, Avaya IP Agent and Avaya one-X Communicator using the Plantronics Voyager PRO UC WG200/B Wireless Headset System and verifying good talk path in both directions. The type of calls made included calls to voicemail, to internal extensions and to the PSTN.

The serviceability testing focused on verifying the usability of the Plantronics Voyager PRO UC WG200/B Wireless Headset System after restarting the Avaya softphone applications, disconnecting and reconnecting the Headsets and rebooting the PC.

1.2. Support

For technical support and information on Plantronics headsets, contact Plantronics at:

- Phone: 800-544-4660 (toll free), +1 831-426-5858 (International)
- Website: <u>http://www.plantronics.com/north_america/en_US/support/</u>

2. Reference Configuration

Figure 1 illustrates the test configuration used to verify the Plantronics solution. The configuration comprised of an Avaya S8510 Server running Avaya Aura[™] Communication Manager and an Avaya G650 Media Gateway with connections to the following: an Avaya 9640 IP Telephone and an ISDN-BRI trunk to the PSTN. Avaya Aura[™] Communication Manager Messaging was used as the voicemail system. Avaya IP Softphone, Avaya IP Agent and Avaya one-X Communicator were installed on three desktop PCs respectively, each having a Plantronics BUA-200 USB Bluetooth Adapter attached to the USB Port of the desktop PC. The Avaya C364T-PWR Converged Stackable Switch provides Ethernet connectivity to the Avaya Server, Media Gateway, desktop PCs and IP telephone.




Figure 1: Test Configuration

3. Equipment and Software Validated

The following equipment and software were used for the sample configuration provided:

Equipment	Software
Avaya S8510 Server	Avaya Aura TM Communication Manager
	5.2.1 (R015x.02.1.016.4)
	with Service Pack (02.1.016.4-17959)
Avaya G650 Media Gateway	-
TN2312BP IP Server Interface	HW07, FW049
TN799DP C-LAN Interface	HW01, FW034
TN2302AP IP Media Processor	HW20, FW120
Avaya IP Softphone running on Microsoft	R6.0 SP7
Windows XP Professional SP3 (32-bit) PC	(6.01.93)
Avaya IP Agent running on Microsoft	R7.0 SP8
Windows Vista Business SP2 (32-bit) PC	(7.0.38.124)
Avaya one-X Communicator running on	5.2 SP2
Microsoft Windows 7 Professional (32-bit) PC	(5.2.0.16)
Avaya 9640 IP Telephone	3.1.1 (H.323)
Avaya C364T-PWR Converged Stackable	4.5.18
Switch	
Plantronics Voyager PRO UC WG200/B	
Wireless Headset System	
- BUA-200 USB Bluetooth Adapter	USB Version 635
- WH200/B Voyager PRO Headset	-
Plantronics Unified Runtime Engine	2.0.31611.1
Plantronics Control Panel	2.0.31611.1

4. Configure Communication Manager

The following sections show the relevant configuration screens for Communication Manager. The screen shots included in this section focused only on the configuration of the station and ipcodec-set forms. The configuration is performed via the System Access Terminal (SAT) on Communication Manager.

4.1. Configure Station for Avaya IP Softphone or Avaya one-X Communicator

Use the **add station n** command; where **n** is an available extension in the dial-plan. To create a station to be used by Avaya IP Softphone or Avaya one-X Communicator, the following information should be provided:

- **Type:** The IP Telephone type that will be emulated. In this compliance testing, the type was set to **2420**.
- Security Code: Password used by Avaya IP Softphone or Avaya one-X Communicator to log in.
- **Port**: Set to **X** to administer the station without hardware.
- IP SoftPhone?: y

```
add station 10023
                                                                            Page 1 of 6
                                            STATION
Extension: 10023
                                                Lock Messages? n
                                                                                    BCC: 0
                                                Lock Messages? n
Security Code: 12345
     Type: 2420
                                                                                    TN: 1
                                           Coverage Path 1:
Coverage Path 2:
     Port: X
                                                                                    COR: 1
     Name: IP Softphone
                                                                                     COS: 1
                                            Hunt-to Station:
STATION OPTIONS
                                                 Time of Day Lock Table:
         Loss Group: 2 Personalized Ringing Pattern: 1
Data Option: none Message Lamp Ext: 10023
Speakerphone: 2-way Mute Button Enabled? y
Display Language: english Expansion Module? n
           Survivable COR: internal
                                                       Media Complex Ext:
   Survivable Trunk Dest? y
                                                              IP SoftPhone? y
                                                        IP Video Softphone? n
                                                       Customizable Labels? Y
```

4.2. Configure Station for Avaya IP Agent

Use the **add station n** command; where **n** is an available extension in the dial-plan to create a new station to be used by Avaya IP Agent. Configure the following:

- **Type:** The IP Telephone type that will be emulated. In this compliance testing, the type was set to **2420**.
- Security Code: Password used by Avaya IP Agent to log in.
- **Port**: Set to **X** to administer the station without hardware.
- IP SoftPhone?: y

```
add station 10021
                                                                                       Page 1 of
                                                                                                           6
                                                   STATION
                                                   Lock Messages? n
Security Code: 12345
Coverage Path 1:
Coverage Path 2:
Extension: 10021
                                                                                                BCC: 0
      Type: 2420
                                                                                                 TN: 1
      Port: X
                                                                                                 COR: 1
      Name: IP Agent
                                                                                                 COS: 1
                                                   Hunt-to Station:
STATION OPTIONS
                                                         Time of Day Lock Table:
          Loss Group: 2Time of Day Lock Table:Loss Group: 2Personalized Ringing Pattern: 1Data Option: noneMessage Lamp Ext: 10Speakerphone: 2-wayMute Button Enabled? yDisplay Language: englishExpansion Module? n
                                                                Message Lamp Ext: 10021
             Survivable COR: internal
                                                               Media Complex Ext:
    Survivable Trunk Dest? y
                                                                        IP SoftPhone? y
                                                                IP Video Softphone? n
                                                               Customizable Labels? Y
```

On **Page 4** of the STATION form, configure the additional feature buttons that are used by Avaya IP Agent to log in as an Automatic Call Distribution (ACD) agent. The following feature buttons were configured.

add station 10021					Page	4 of	6
		STAT	ION		-		
SITE DATA							
Room:				Headset	t? n		
Jack:				Speake	r? n		
Cable:				lounting	2		
Floor:				d Lengtl			
Building:			Se	et Colo:	r:		
ABBREVIATED DIALING List1:		List2:		List3	:		
BUTTON ASSIGNMENTS							
1: call-appr		!	5: manual-in		Grp:		
2: call-appr		(6: after-call		Grp:		
3: call-appr			7: aux-work	RC:	Grp:		
4: auto-in	Grp:		8: assist		Grp:		
voice-mail Number:							

4.3. Configure IP Codec Set

The following screen shows the codec set configuration that was used during the test. To configure the codec set, use the **change ip-codec-set n** command, where **n** is the IP codec set used by the Avaya softphone applications. In this compliance testing, the G.722-64K and G.711 mu-law codec were used.

```
change ip-codec-set 1
                         IP Codec Set
   Codec Set: 1
          Silence Frames Packet
Suppression Per Pkt Size(ms)
   Audio
   Codec
1: G.722-64K
                                     20
                              2
                              2
2: G.711MU
                     n
                                        20
3:
4:
5:
6:
7:
```

5. Configure Avaya IP Softphone

After logging into Avaya IP Softphone, select Audio \rightarrow Tuning Wizard from the menu as shown below.

🕻 Avaya IP Softpho	ne - 10021	
File Edit View Tools	Audio Settings Help	
📙 🚺 Drop 🔛 Hold	Volume and Ringer Settings	е
Number:	Options	19日 🕄 • 🎹 🌙 • 💐
	Tuning Wizard	
🛛 🕅 🕺 🗉	Monitor	- C C 🛱 🍕 -
Display the Audio Tuning V	Vizard.	📃 📈 🛛 🅀 🛛 6:01 PM 🅢

2

1 of

Page

Plantronics BUA-200 USB Bluetooth Adapter is automatically detected in Microsoft Windows as **BUA-200**. Select this device as the **Primary Playback Device** and **Recording Device** as shown below. Select **Next**.

3	Select a primary playbac	
	BUA-200	<u> </u>
	Select a recording devic	e:
10-	BUA-200	•
	Enable a secondary	ring device

Select Headset or Handset. Click Next and follow the remaining procedures to tune the audio.



Solution & Interoperability Test Lab Application Notes ©2010 Avaya Inc. All Rights Reserved.


6. Configure Avaya IP Agent

After logging into Avaya IP Agent, select Audio \rightarrow Tuning Wizard from the menu as shown below.



Plantronics BUA-200 USB Bluetooth Adapter is automatically detected in Microsoft Windows as **BUA-200**. Select this device as the **Primary Playback Device** and **Recording Device** as shown below. Select **Next**.

Audio Tuning Wizard	Ensure that all applications that record or play sound are closed.
	Speakers (BUA-200)
	Select a recording device:
12	Microphone (BUA-200)
	Enable a secondary ring device
	< Back Next > Cancel Help



Select Headset or Handset. Click Next and follow the remaining procedures to tune the audio.

7. Configure Avaya one-X Communicator

After logging into Avaya one-X Communicator, select \checkmark Settings \rightarrow General Settings from the menu as shown below.

(i)		-? -	= _ x	
10024	Ш		View 🕨	
			Settings 🕨	General Settings
Enter name or number	Q C 🐑 🖽	Αναγα	Log Off	Statistics
			Exit	

Select Audio from the left panel and click the Basic tab. Click Audio Tuning Wizard.

General Settings	? x
Phone Audio Dialing Rules Public Directory Desktop Integration Preferences Message Access Emergency Advanced	Audio Basic Advanced Volume Playback Record Mute ringing for incoming calls. Audio Tuning Wizard
	OK Cancel

Plantronics BUA-200 USB Bluetooth Adapter is automatically detected in Microsoft Windows as **BUA-200**. Select this device as the **Playback Device** and **Recording Device** as shown below. Click **Next** and follow the remaining procedures to tune the audio.

efore beginning, ensure that ecord or play sound are close elect a playback device: Speakers (BUA-200)			
Speakers (BUA-200)			
	÷		
elect a recording device:			
Microphone (BUA-200)	\$		
	Next		1
	the second s	Aicrophone (BUA-200)	

8. Configure Plantronics Voyager PRO UC WG200/B Wireless Headset System

The Plantronics BUA-200 USB Bluetooth Adapters are plug-and-play USB devices. When plugged into the USB Port of the desktop PC, they are automatically detected in Microsoft Windows without requiring any additional driver software. In this test configuration, the BUA-200 USB Bluetooth Adapters are detected as **BUA-200** in Windows XP, Windows Vista and Windows 7.

The WH200/B Voyager PRO Headset and BUA-200 USB Bluetooth Adapter are supplied paired to each other. To use a replacement headset with the existing USB adapter, refer to [5] for the pairing instructions.

8.1. Install Plantronics Unified Runtime Engine

The Plantronics Unified Runtime Engine enables the Plantronics Voyager PRO UC WG200/B Wireless Headset System to answer and end calls using the call control button on the Voyager PRO headset. The following describes the steps to install the Plantronics software.

- Log into an account that is a member of the Administrators group.
- Insert the Plantronics CD-ROM and execute **setup.exe**. This is a bootstrap application which will download the latest version of the software from the Plantronics website. An internet connection is required.
- When prompted for the **Setup Type**, select **Typical**. This will install the Unified Runtime Engine, Control Panel, Update Manager and connectivity for all supported softphone applications.
- Follow the on-screen instructions to install the software.

9. General Test Approach and Test Results

All test cases were performed manually. The following features were verified:

- Placing calls to the voicemail system. Voice messages were recorded and played back to verify that the playback volume and recording level were good.
- Placing calls to internal extensions to verify that the playback volume and recording level were good.
- Placing calls to the PSTN to verify that the playback volume and recording level were good.
- Answering and ending calls using the call control button on the Voyager PRO headset.
- Using the volume control buttons on the Voyager PRO Headset to adjust the playback volume.
- Using the mute control button on the Voyager PRO Headset to mute and un-mute the recording level.

For the serviceability testing, the BUA-200 USB Bluetooth Adapters were disconnected and reconnected to verify proper operation. Avaya IP Softphone, Avaya IP Agent and Avaya one-X Communicator were also restarted for the same purpose. The desktop PCs were also rebooted to verify that the Plantronics Unified Runtime Engine process starts automatically when the PC comes back into service.

All test cases passed successfully.

10. Verification Steps

From the Windows Control Panel, open **Sounds and Audio Devices** and click the **Audio** tab. Verify that the device **BUA-200** is listed in both the **Sound playback** and **Sound recording** section as shown below.

/olume	Sounds	Audio	Voice	Hardware
Sound pl	ayback			
0	Default device	ċ		
	BUA-200			*
		Volume	- Ad	va <u>n</u> ced
Sound re	cording			
	D <u>e</u> fault device			
18 [BUA-200			~
		V <u>o</u> lume	Ad	van <u>c</u> ed
MIDI mu:	sic playback			
	De <u>f</u> ault device	:		
	Microsoft GS	Wavetable S ¹	w Synth	*
		Volume		\bout
<u>U</u> se on	ly default devi	ces		
<u>10</u> se on	y derauk devi			

11. Conclusion

These Application Notes describe the configuration steps required for Plantronics Voyager PRO UC WG200/B Wireless Headset System to work with Avaya IP Softphone, Avaya IP Agent and Avaya one-X® Communicator. All test cases were completed successfully.

12. Additional References

This section references the Avaya and Plantronics documentation that are relevant to these Application Notes.

The following Avaya product documentation can be found at <u>http://support.avaya.com</u>.

- [1] Administering Avaya Aura[™] Communication Manager, Release 5.2, Issue 5.0, May 2009, Document Number 03-300509.
- [2] Avaya IP Softphone Release 6.0 User Reference, Issue 1, May 2007.
- [3] Avaya IP Agent Release 7.0 Installation and User Guide, Issue 1.1, August 2007.
- [4] Avaya one-X® Communicator User Reference, November 2009.

The following Plantronics product documentation can be found at <u>http://www.plantronics.com</u>.

[5] Plantronics Voyager® PRO UC Wireless Headset System WG200/B User Guide, 2009.

©2010 Avaya Inc. All Rights Reserved.

Avaya and the Avaya Logo are trademarks of Avaya Inc. All trademarks identified by \mathbb{B} and TM are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners. The information provided in these Application Notes is subject to change without notice. The configurations, technical data, and recommendations provided in these Application Notes are believed to be accurate and dependable, but are presented without express or implied warranty. Users are responsible for their application of any products specified in these Application Notes.

Please e-mail any questions or comments pertaining to these Application Notes along with the full title name and filename, located in the lower right corner, directly to the Avaya DevConnect Program at <u>devconnect@avaya.com</u>.